2024 Reimbursement Reference Guide: Radiofrequency Ablation and Diagnostic Injection - Facet Joints[†]

2024 Medicare national unadjusted payment rates.

Therap	peutic Procedures	Physician					Outpatient Hospital			Ambulatory Surgery Center	
CPT/HCPCS CODE	DESCRIPTION	TOTAL OFFICE RVU	IN-OFFICE PAYMENT	TOTAL FACILITY RVU	IN-FACILITY PAYMENT	GLOBAL DAYS	APC	STATUS INDICATOR	HOPD PAYMENT	PAYMENT	ASC PAYMENT
64633	Destruction by neurolytic agent, paravertebral facet joint nerve(s) with imaging guidance (fluoroscopy or CT); cervical or thoracic, single facet joint	13.15	\$431	5.74	\$188	10	5431	J1	\$1842	G2	\$898
(+) 64634	Destruction by neurolytic agent, paravertebral facet joint nerve(s) with imaging guidance (fluoroscopy or CT); cervical or thoracic, each additional facet joint	7.67	\$251	1.99	\$65	10	5431	Ν	No Additional Payment	N1	No Additional Payment
64635	Destruction by neurolytic agent, paravertebral facet joint nerve(s) with imaging guidance (fluoroscopy or CT); lumbar or sacral, single facet joint	13.26	\$434	5.75	\$188	10	5431	J1	\$1842	G2	\$898
(+) 64636	Destruction by neurolytic agent, paravertebral facet joint nerve(s) with imaging guidance (fluoroscopy or CT); lumbar or sacral, each additional facet joint	7.20	\$236	1.74	\$57	10	5431	Ν	No Additional Payment	N1	No Additional Payment

RFA Procedure Scenario







Disclaimer: Information provided is derived from a variety of public sources as of January 1, 2024 and is intended for general purposes only. It does not constitute reimbursement or legal advice. It is not intended to increase or maximize reimbursement by payer. Avanos encourages providers to submit accurate and appropriate claims for payment. It is always the provider's responsibility to determine medical necessity for the procedure as well as the number of levels/nerves denervated, the proper delivery of any services and to submit appropriate codes, charges, and modifiers for services that are rendered. Avanos recommends that you consult with your payers, reimbursement specialists and/or legal counsel regarding coding, coverage, and reimbursement matters. Payer policies vary and should be verified prior to treatment for limitations on diagnosis, coding, or site of service requirements.

KEY

(+) Indicates Add-on code - Multiple procedure reduction does not apply In Office Payment - Physician payment for in office service In Facility Payment - Physician payment for in facility service

OPPS/ASC INDICATORS

<u>UT37/ASU INDICATIONS</u> Ji - Hospital Dart B Services paid through comprehensive APC N/NI - Items and services packaged onto APC rates G2 - Payment based on OPPS relative payment rates P3 - Payment based on MPFS office (non-facility) PE RVUs T - Multiple procedure payment reduction applies

MODIFIERS

-59 - Distinct procedural service -KX - Requirements specified in the medical policy have been met.

-XS - Distinct procedural service on separate structure

-50 - Bilateral procedure (when applicable) -LT, RT - Left, right indicator (when payor guidelines

require)

AMA CPT Guidance RFA Procedure [Specific payer guidelines apply] For primary procedure report bilateral with modifier 50. Each additional joint for bilateral procedure report 64634 or 64636 twice, do not report modifier 50

AMA CPT Guidance Diagnostic Blocks (Specific payer guidelines apply) For primary procedure (64490, 64493) report bilateral with modifier 50. Each additional level for bilateral procedure report 64491/64492 or 64494/64495 twice, do not report modifier 50

2024 Reimbursement Reference Guide:

Radiofrequency Ablation and Diagnostic Injection - Facet Joints[†]

2024 Medicare national unadjusted payment rates.

Diagnostic Procedures		Physician					Outpatient Hospital			Ambulatory Surgery Center	
CPT/HCPCS CODE	DESCRIPTION	TOTAL OFFICE RVU	IN-OFFICE PAYMENT	TOTAL FACILITY RVU	IN-FACILITY PAYMENT	GLOBAL DAYS	APC	STATUS INDICATOR	HOPD PAYMENT	PAYMENT INDICATOR	ASC PAYMENT
64490*	Injection(s) diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; single level	5.79	\$190	3.14	\$103	0	5443	T	\$869	G2	\$473
(+) 64491	Injection(s) diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; second level	2.92	\$96	1.76	\$58	0	-	Ν	No Additional Payment	N1	No Additional Payment
(+) 64492	Injection(s) diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; third and any additional level(s)	2.93	\$96	1.79	\$59	0	-	Ν	No Additional Payment	N1	No Additional Payment
64493	Injection(s) diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; single level	5.33	\$174	2.70	\$88	0	5443	T	\$869	G2	\$473
(+) 64494*	Injection(s) diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; second level	2.73	\$89	1.51	\$49	0	-	Ν	No Additional Payment	N1	No Additional Payment
(+) 64495	Injection(s) diagnostic or therapeutic agent, paravertebral facet [zygapophyseal] joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; third and any additional level(s)	2.73	\$89	1.54	\$50	0	-	Ν	No Additional Payment	N1	No Additional Payment

*For unilateral paravertebral facet injection to the T12-L1 and L1-L2 levels or nerves innervating that joint, use 64490 and 64494 once *For bilateral paravertebral facet injection to the T12-L1 and L1-L2 levels or nerves innervating that joint, use 64490 with modifier 50 once and 64494 twice.

Disclaimer: Information provided is derived from a variety of public sources as of January 1, 2024 and is intended for general purposes only. It does not constitute reimbursement or legal advice. It is not intended to increase or maximize reimbursement by payer. Avanos encourages providers to submit accurate and appropriate claims for payment. It is always the provider's responsibility to determine medical necessity for the procedure as well as the number of levels/nerves denervated, the proper delivery of any services and to submit appropriate codes, charges, and modifiers for services that are rendered. Avanos recommends that you consult with your payers, reimbursement specialists and/or legal counsel regarding coding, coverage, and reimbursement matters. Payer policies vary and should be verified prior to treatment for limitations on diagnosis, coding, or site of service requirements.

CM Diagnosis Code Options - Facet Joints[†]

The following list provides examples of possible diagnoses impacting radiofrequency ablation procedures in the Facet region. It is not intended to be a complete or comprehensive list. This guide is provided for informational and educational purposes only and does not reflect nor represent any specific case or procedure. Providers are always responsible for accurate coding assignment based on the documented medical record.

Sample ICD-10-CM Diagnosis Code Options

ICD-10-CM	Description	ICD-10-CM	Description
Code	CERVICAL & THORACIC REGION	Code	LUMBAR REGION
M50.23	Other cervical disc displacement, cervicothoracic region	G54.1	Lumbosacral plexus disorders
M50.30	Other cervical disc degeneration, unspecified cervical region	G54.4	Lumbosacral root disorders, not elsewhere classified
M50.31	Other cervical disc degeneration, high cervical region	G54.8	Other nerve root and plexus disorders
M50.32	Other cervical disc degeneration, mid-cervical region	M25.551	Pain in right hip
M50.33	Other cervical disc degeneration, cervicothoracic region	M25.552	Pain in left hip
M50.00	Cervical disc disorder with myelopathy, unspecified cervical region	M45.0	Ankylosing spondylitis of multiple sites in spine
M50.01	Cervical disc disorder with myelopathy, high cervical region	M45.7	Ankylosing spondylitis of lumbosacral region
M50.02	Cervical disc disorder with myelopathy, mid-cervical region	M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region
M50.03	Cervical disc disorder with myelopathy, cervicothoracic region	M47.26	Other spondylosis with radiculopathy, lumbar region
M48.8X8	Other specified spondylopathies sacral and sacrococcygeal region	M47.27	Other spondylosis with radiculopathy, lumbosacral region
M46.1	Sacroiliitis, not elsewhere classified	M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region
M48.02	Spinal stenosis, cervical region	M47.896	Other spondylosis, lumbar region
M48.01	Spinal stenosis, occipito-atlanto-axial region	M47.897	Other spondylosis, lumbosacral region
M48.03	Spinal stenosis, cervicothoracic region	M54.5	Low back pain
M99.21	Subluxation stenosis of neural canal of cervical region	M54.30	Sciatica, unspecified side
M99.31	Osseous stenosis of neural canal of cervical region	M54.31	Sciatica, right side
M99.41	Connective tissue stenosis of neural canal of cervical region	M54.32	Sciatica, left side
M99.51	Intervertebral disc stenosis of neural canal of cervical region	M54.40	Lumbago with sciatica, unspecified side
M99.61	Osseous and subluxation stenosis of intervertebral foramina of cervical region	M54.41	Lumbago with sciatica, right side
M99.71	Connective tissue and disc stenosis of intervertebral foramina of cervical region	M54.42	Lumbago with sciatica, left side
M54.2	Cervicalgia	M43.27	Fusion of spine, lumbosacral region
M54.12	Radiculopathy, cervical region	M53.2X7	Spinal instabilities, lumbosacral region
M54.13	Radiculopathy, cervicothoracic region	M53.86	Other specified dorsopathies, lumbar region
M50.11	Cervical disc disorder with radiculopathy, high cervical region	M53.87	Other specified dorsopathies, lumbosacral region
M50.12	Cervical disc disorder with radiculopathy, mid-cervical region	M54.07	Panniculitis affecting regions of the neck and back, lumbosacral region
M50.13	Cervical disc disorder with radiculopathy, cervicothoracic region	M54.17	Radiculopathy, lumbosacral region
M54.11	Radiculopathy, occipito-atlanto-axial region		
M54.6	Pain in thoracic spine		
M54.14	Radiculopathy, thoracic region		
M51.14	Intervertebral disc disorders with radiculopathy, thoracic region		
M47.814	Spondylosis without myelopathy or radiculopathy, thoracic region		
M47.24	Other spondylosis with radiculopathy, thoracic region		
M47.25	Other spondylosis with radiculopathy, thoracolumbar region		
M47.815	Spondylosis without myelopathy or radiculopathy, thoracolumbar region		
M47.894	Other spondylosis, thoracic region		
M45.3	Ankylosing spondylitis of cervicothoracic region		
M47.4	Ankylosing spondylitis of thoracic region		

[†]References: CPT 2024 Professional Edition, 2023 American Medical Association (AMA); CPT is a trademark of the AMA. All Rights Reserved. 2024 Medicare Physician Fee Schedule RVU multiplied by conversion factor, effective January 1, 2024, www.cms.gov 2024 Medicare OPPS Final Rule, www.cms.gov

2024 Medicare ASC Final Rule Payment Rates, January 1, 2024 www.cms.gov 2024 ICD-10-CM, www.cms.gov

1. *Refer to payer guidelines for third level coverage requirements.

*Registered Trademark or Trademark of Avanos Medical, Inc., or its affiliates. © 2018 AVNS. All rights reserved. COPY-JA-11449

Disclaimer: Information provided is derived from a variety of public sources as of January 1, 2024 and is intended for general purposes only. It does not constitute reimbursement or legal advice. It is not intended to increase or maximize reimbursement by payer. Avanos encourages providers to submit accurate and appropriate claims for payment. It is always the provider's responsibility to determine medical necessity for the procedure as well as the number of levels/nerves denervated, the proper delivery of any services and to submit appropriate codes, charges, and modifiers for services that are rendered. Avanos recommends that you consult with your payers, reimbursement specialists and/or legal counsel regarding coding, coverage, and reimbursement matters. Payer policies vary and should be verified prior to treatment for limitations on diagnosis, coding, or site of service requirements.